

TM-m10 POS Receipt Printer



POS printing reimagined with a compact, sleek, 2" receipt printer.

Industry's smallest 2" receipt printer in its class — sleek design; ideal for small counter spaces

Breakthrough modular case — flexible configuration (top load or front load); interchangeable by easily removing the outer case

Easy setup and versatile connectivity — dual interface — options include USB, Ethernet, wireless, Bluetooth® or NFC¹ touch-to-print; includes wireless setup with SimpleAP (wireless SKU only)

The freedom to easily print from virtually any device — ePOS™ print technology for easy setup with iOS®, Android™ and Windows® mobile devices and Windows drivers for desktop PCs

Print

Print Method Thermal
Print Speed 150 mm/s
Print Resolution 203 dpi
Print Direction Vertical and horizontal

Print Fonts

Fonts/Column capacity Font A: 12 x 24 35cpl (default)
Font B: 10 x 24 42 cpl; Font C: 9 x 17 46 cpl
Character Size Font A: 1.25 x 3.00 mm;
Font B: 1.13 x 3.00 mm; Font C: 0.88 x 2.13 mm
Character Set 95 Alphanumeric, 18 International, 128 x 43 Graphic
Barcode UPC-A, UPC-E, JAN8 / EAN 8, JAN13 / EAN13, Code39, Code93, Code128, ITF, CODABAR(NW-7), GS1-128, GS1 DataBar
Two-Dimensional Symbol Printing PDF417, QR code, Maxi Code, Data Matrix, Aztec Code, Two dimensional GS1 DataBar, Composite Symbology

Media Handling

Type Thermal roll paper
Paper Feed Method Friction feed
Width 2.26"/57.5 mm
Paper Loading Drop-in
Roll Diameter (Max) 2.36"/60 mm
Core Diameter (Min) 0.71"/18 mm
Paper Guide No
Auto Cutter Yes

Connectivity

Interface (USB model) Built-in USB
Interface (Ethernet model) Built-in USB + Ethernet 10/100Base-T/TX
Interface (Bluetooth model) Built-in USB + Bluetooth 3.0 (EDR supported)
Interface (Wi-Fi model) Built-in USB + 802.11b/g/n (2.4GHz) + Ethernet 10/100Base-T/TX
Wireless Security Mode WEP, WPA, WPA2-Personal/Enterprise
Supported Mobile Operating Systems iOS, Android and Windows (Store Apps)
Easy Setting SimpleAP, TM Utility, NFC¹ and QR Code

General

Printer Reliability 15 million printing lines
Auto Cutter Reliability 1 million cuts
NV Bit Image Memory 12KB (max)
NV Graphics 384KB (max)
Receive Buffer 4KB or 45byte
Printer Driver ePOS-Print SDK, Windows Driver (APD), OPOS, OPOS.NET, JavaPOS (Win), JavaPOS (Linux), TM Virtual Port Driver, CUPS Driver (Linux), Mac Driver
Software TM Utility (iOS, Android), TM-m10 Utility (Windows Desktop), EpsonNet Config (Win, Mac), TM Bluetooth Connector, Deployment Tool, Monitoring Tool
Audible Alert Optional external buzzer
LED Indicators Blue LED - On = Power Orange LED - Error and/or Paper Out
Sensors Paper End, Cover Open
D.K.D. Function Yes
Power Consumption Approx. 1.5A (mean)
Power Source Adapter C
Power Saving Yes
Temperature 5° C - 45° C
Relative Humidity 10 - 90 %
Acoustic Noise Level 55db
Standards and Approvals EMI FCC Class A, CAN ICES-3(A)/NMB-3(A) Safety Standard UL60950-1/CSA C22.2 No.60950-1
Dimensions (W x D x H) 4" x 4" x 4"
102 x 102 x 102 mm
Weight 1.98 lb/900g
Color Epson Black, Epson Ultra White
Options Mounting Brackets, External Buzzer

Eco Features

Paper saving mode
Power saving mode
ENERGY STAR® qualified (select SKUs)
• RoHS compliant
• Recyclable product²
• Epson America, Inc. is a SmartWaySM Transport Partner³

Warranty

Standard with a one-year limited warranty; optional extended warranty available

What's in the Box

TM-m10, Power Supply - Adapter C with AC Cable, Roll Paper (for checking initial movement of the printer), Setup Guide, Power Switch Cover (USB Cable, Locking Wire Saddle for USB SKUs only)

Ordering Information

TM-m10 USB Black	C31CE74002
TM-m10 USB White	C31CE74001
TM-m10 Ethernet Black	C31CE74022
TM-m10 Ethernet White	C31CE74021
TM-m10 Bluetooth Black	C31CE74012
TM-m10 Bluetooth White	C31CE74011
TM-m10 Wireless Black	C31CE74032
TM-m10 Wireless White	C31CE74031

¹ NFC tag requires use of a device that includes an NFC reader, and may require additional software. | ² For convenient and reasonable recycling options, visit www.epson.com/recycle
³ SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.



800 729 0236
www.logiscenter.us



0241 9550 9225
www.logiscenter.de



01 82 88 44 70
www.logiscenter.fr



020 3318 8265
www.logiscenter.co.uk



0720 115814
www.logiscenter.at



02 58 80 583
www.logiscenter.be



911 433 048
www.logiscenter.com



02 4792 1697
www.logiscenter.it



308 800 842
www.logiscenter.pt

About LOGISCENTER

Logiscenter is the leading provider of automatic identification and data capture equipments. Our products include barcode printing and reading devices, mobile computing devices, wireless access points, identification cards, and consumables.

Reasons to work with us

Our customers come first. Our objective is not only selling our products but also holding a long-lasting relationship with our customers, based on the benefits and advantages we create for you and your company.

The best brands. We offer products from the best manufacturers worldwide.

Expert technical support team. Our support staff are experts in the products we sell. But not just the products, they can tell you the best solution for your particular problem or need.

Largest stock. We have a permanent stock of more than 60,000 products.

Same-day shipping. For all orders placed and confirmed before 16:00 on working days.

Best prices. With Logiscenter, you can be sure that you are paying a fair price for your products, we will not overcharge you.

Easy returns. Damaged or defective products can be returned easily, for an exchange or reimbursement.



All Brands Technical Service


Our Brands




Solutions for: Industry • Consumer • Mobility Transportation and Logistics • Retail • Health



Label printers



Barcode readers



Data terminals & PDA



PVC card printers



RFID



Consumables
(labels, ribbons, PVC cards)